

## Author index to volume 192

- |  |                |
|--|----------------|
| Abboud, J.-L.M., see J. Mestres  | 192 (1995) 99  |
| Akselrod, L., H.J. Byrne, S. Donovan and S. Roth, A Raman analysis of C <sub>60</sub> at low temperatures: a study of molecular and crystal-field effects                                  | 192 (1995) 307 |
| Ammer, F., A. Penzkofer and P. Weidner, Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths                                | 192 (1995) 325 |
| Ballard, C.C., see M.H. Palmer   | 192 (1995) 111 |
| Ballesteros, E., see J. Mestres  | 192 (1995) 99  |
| Baltzer, P., see D.M.P. Holland  | 192 (1995) 333 |
| Bancroft, G.M., see Z.F. Liu   | 192 (1995) 255 |
| Bernhard, C., see E. Roduner   | 192 (1995) 231 |
| Bertrán, J., see J. Mestres  | 192 (1995) 99  |
| Binninger, U., see E. Roduner  | 192 (1995) 231 |
| Bolvin, H. and O. Kahn, Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation  | 192 (1995) 295 |
| Byrne, H.J., see L. Akselrod   | 192 (1995) 307 |
| Chandra, A.K., see V. Sreedhara Rao  | 192 (1995) 247 |
| Coletta, F., A. Ferrarini, F. Gottardi and P.L. Nordio, NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility   | 192 (1995) 19  |
| Daverkausen, J., see M.S. Gudipati   | 192 (1995) 37  |
| De Benedictis, S. and G. Dilecce, Vibrational relaxation of N <sub>2</sub> (C, $\nu$ ) state in N <sub>2</sub> pulsed rf discharge: electron impact and pooling reactions                  | 192 (1995) 149 |
| Dellis, D. and J. Samios, Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation  | 192 (1995) 281 |
| Dilecce, G., see S. De Benedictis  | 192 (1995) 149 |
| Donovan, S., see L. Akselrod   | 192 (1995) 307 |
| Duran, M., see J. Mestres  | 192 (1995) 99  |
| Ferrarini, A., see F. Coletta  | 192 (1995) 19  |
| Fink, K., see C. Wang  | 192 (1995) 25  |
| Fisz, J.J., An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions                                   | 192 (1995) 163 |
| Freitag, A., Ch. van Wüllen and V. Staemmler, An ab initio study of the chemical bond and the <sup>129</sup> Xe NMR chemical shifts in M <sup>+</sup> -Xe compounds, M = Li, Na, K, Cu, Ag | 192 (1995) 267 |
| Fujii, T., see H. Kishi  | 192 (1995) 387 |

- Gottardi, F., see F. Coletta 192 (1995) 19
- Grabowska, J. and K. Sienicki, Energy transfer between finite-sized interacting molecules in a one-dimensional system 192 (1995) 89
- Greene-Johnson, W., CPA theory with correlative effects: application to the  $\nu_s(\text{PF}_3)$  stretch of  $\text{PF}_3/\text{Pt}(111)$  192 (1995) 9
- Gudipati, M.S., M. Maus, J. Daverkausen and G. Hohlneicher, Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene 192 (1995) 37
- Guest, M.F., see M.H. Palmer 192 (1995) 111
- Herreros, M., see J. Mestres 192 (1995) 99
- Hofer, A., see E. Roduner 192 (1995) 231
- Hohlneicher, G., see M.S. Gudipati 192 (1995) 37
- Holland, D.M.P., M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen, An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride 192 (1995) 333
- Hoxha, A., see B. Leyh 192 (1995) 65
- Jug, K., see M. Krack 192 (1995) 127
- Kahn, O., see H. Bolvin 192 (1995) 295
- Karlsson, L., see D.M.P. Holland 192 (1995) 333
- Kishi, H. and T. Fujii, Low-work-function surfaces with  $\phi$  as low as 2.0 eV produced by alkaline earth element carbonate decomposition 192 (1995) 387
- Krack, M. and K. Jug, Reactivity of silicon clusters 192 (1995) 127
- Kreitzman, S.R. and E. Roduner, Theory of avoided level-crossing relaxation dynamics for axial muonated radicals 192 (1995) 189
- Leyh, B. and A. Hoxha, Reaction window in the single-electron capture by ammonia dications 192 (1995) 65
- Lipp, M.J. and J.J. O'Brien, Temperature and population measurements of  $n=2$  hydrogen atoms in  $\text{H}_2$  RF discharges from  $\text{H}_\alpha$  (Balmer) spectral profiles obtained by intracavity laser spectroscopy 192 (1995) 355
- Liu, Z.F., G.M. Bancroft, J.S. Tse and Z.Z. Yang, Multiple-scattering- $X\alpha$  studies of the  $\text{L}_{2,3}$  near edge photoabsorption spectra of  $\text{H}_2\text{S}$ ,  $\text{HCl}$  and  $\text{Cl}_2$ , and on the intensity variation in the  $\text{L}_{2,3}$  near edge spectra of  $\text{XH}_n$ ,  $X=\text{Si}, \text{P}, \text{S}, \text{Cl}$  and  $n=4, 3, 2, 1$  192 (1995) 255
- Lukin, L.V., Electron localization in laser ionization of liquid water 192 (1995) 135
- Lundqvist, M., see D.M.P. Holland 192 (1995) 333
- MacDonald, M.A., see D.M.P. Holland 192 (1995) 333
- Macrae, R.M., see E. Roduner 192 (1995) 231
- Martin, M.M., P. Plaza and Y.H. Meyer, Ultrafast intramolecular charge transfer in the merocyanine dye DCM 192 (1995) 367
- Maus, M., see M.S. Gudipati 192 (1995) 37
- Mestres, J., M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud, Is there a hydride transfer between  $\text{N}_2\text{OH}^+$  and saturated hydrocarbons? 192 (1995) 99
- Meyer, Y.H., see M.M. Martin 192 (1995) 367

- Niedermayer, C., see E. Roduner 192 (1995) 231
- Niedzielski, J., see J. Turulski 192 (1995) 319
- Nordio, P.L., see F. Coletta 192 (1995) 19
- O'Brien, J.J., see M.J. Lipp 192 (1995) 355
- Ottinger, Ch., A.F. Vilesov and D.D. Xu, High-resolution study of the luminescent electronic energy transfer reaction of  $\text{Xe}(^3\text{P}_{0,2})$  with  $^{14}\text{N}_2$  and  $^{15}\text{N}_2$  192 (1995) 49
- Palmer, M.H., I.C. Walker, C.C. Ballard and M.F. Guest, The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations 192 (1995) 111
- Penzkofer, A., see F. Ammer 192 (1995) 325
- Pezler, B., see J. Turulski 192 (1995) 319
- Plaza, P., see M.M. Martin 192 (1995) 367
- Prassides, K., see E. Roduner 192 (1995) 231
- Reid, I.D., see E. Roduner 192 (1995) 231
- Roduner, E., see S.R. Kreitzman 192 (1995) 189
- Roduner, E., K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binniger, C. Bernhard, A. Hofer and I.D. Reid, Reorientational dynamics of  $\text{C}_{60}$  in the solid state. An avoided level-crossing muon spin resonance study 192 (1995) 231
- Roth, S., see L. Akselrod 192 (1995) 307
- Samios, J., see D. Dellis 192 (1995) 281
- Sienicki, K., see J. Grabowska 192 (1995) 89
- Smirnov, Yu.M., Dissociative excitation of K and  $\text{K}^+$  emission by electron impact on KI molecules 192 (1995) 379
- Sreedhara Rao, V. and A.K. Chandra, Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants 192 (1995) 247
- Staemmler, V., see C. Wang 192 (1995) 25
- Staemmler, V., see A. Freitag 192 (1995) 267
- Sultan, R.F., The stability of propagating chemical spike structures and the transition to traveling pulses 192 (1995) 239
- Thomas, I.M., see E. Roduner 192 (1995) 231
- Traytak, S.D., Diffusion-controlled reaction rate to an active site 192 (1995) 1
- Tse, J.S., see Z.F. Liu 192 (1995) 255
- Turulski, J., J. Niedzielski and B. Pezler, The capture rate of an ion by a symmetrical top quadrupole 192 (1995) 319
- Van Wüllen, Ch., see A. Freitag 192 (1995) 267
- Vilesov, A.F., see Ch. Ottinger 192 (1995) 49
- Vitali, D., Proton tunneling in symmetric H-bond. A simple microscopic model 192 (1995) 79
- Von Niessen, W., see D.M.P. Holland 192 (1995) 333
- Walker, I.C., see M.H. Palmer 192 (1995) 111
- Wang, C., K. Fink and V. Staemmler, A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes 192 (1995) 25

Wannberg, B., see D.M.P. Holland	192 (1995) 333
Weidner, P., see F. Ammer	192 (1995) 325
Xu, D.D., see Ch. Ottinger	192 (1995) 49
Yang, Z.Z., see Z.F. Liu	192 (1995) 255



## Subject index to volume 192

### Methods

#### Theoretical

##### *Classical mechanics*

- Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1

##### *Many body and quasiparticle approaches*

- Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79

##### *Transport quantum mechanics*

- Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189

##### *Equilibrium statistical mechanics*

- CPA theory with correlative effects: application to the  $\nu_s(\text{PF}_3)$  stretch of  $\text{PF}_3/\text{Pt}(111)$ , W. Greene-Johnson 192 (1995) 9

- Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89

##### *Non-equilibrium thermodynamic and hydrodynamic theories*

- NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19

- The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239

##### *Ab initio schemes for stationary properties*

- A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25

- Is there a hydride transfer between  $\text{N}_2\text{OH}^+$  and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99

- The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111

- Reactivity of silicon clusters, M. Krack and K. Jug 192 (1995) 127

- Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247

- Multiple-scattering- $X\alpha$  studies of the  $L_{2,3}$  near edge photoabsorption spectra of  $H_2S$ ,  $HCl$  and  $Cl_2$ , and on the intensity variation in the  $L_{2,3}$  near edge spectra of  $XH_n$ ,  $X=Si, P, S, Cl$  and  $n=4, 3, 2, 1$ , Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255
- An ab initio study of the chemical bond and the  $^{129}Xe$  NMR chemical shifts in  $M^+-Xe$  compounds,  $M=Li, Na, K, Cu, Ag$ , A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267

#### *Computational and simulation methods*

- Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
- Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
- Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
- Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

#### *Molecular dynamics and scattering theory*

- A Raman analysis of  $C_{60}$  at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307
- The capture rate of an-ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319

### **Experimental**

#### *Magnetic resonances*

- NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
- Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
- Reorientational dynamics of  $C_{60}$  in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231

#### *Cyclotron resonances*

- Is there a hydride transfer between  $N_2OH^+$  and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99

#### *Infrared spectroscopy*

- CPA theory with correlative effects: application to the  $\nu_s(PF_3)$  stretch of  $PF_3/Pt(111)$ , W. Greene-Johnson 192 (1995) 9

#### *Visible and UV spectroscopy*

- Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
- High-resolution study of the luminescent electronic energy transfer reaction of  $Xe(^3P_{0,2})$  with  $^{14}N_2$  and  $^{15}N_2$ , Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49

- The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
- Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
- Vibrational relaxation of  $N_2(C, v)$  state in  $N_2$  pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
- Fluorescence spectroscopy*
- Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89
- An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
- Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
- Photoelectron and Auger spectroscopy*
- Multiple-scattering- $X\alpha$  studies of the  $L_{2,3}$  near edge photoabsorption spectra of  $H_2S$ ,  $HCl$  and  $Cl_2$ , and on the intensity variation in the  $L_{2,3}$  near edge spectra of  $XH_n$ ,  $X=Si, P, S, Cl$  and  $n=4, 3, 2, 1$ , Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255
- An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333
- Laser methods*
- Temperature and population measurements of  $n=2$  hydrogen atoms in  $H_2$  RF discharges from  $H_\alpha$  (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355
- Picosecond spectroscopy*
- An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
- Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
- Synchrotron spectroscopies*
- Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
- The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
- An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333
- Atomic and molecular beam techniques*
- High-resolution study of the luminescent electronic energy transfer reaction of  $Xe(^3P_{0,2})$  with  $^{14}N_2$  and  $^{15}N_2$ , Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49



- Dissociative excitation of K and K<sup>+</sup> emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379
- Time-resolved experiments*
- Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
- Vibrational relaxation of N<sub>2</sub>(C,  $\nu$ ) state in N<sub>2</sub> pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
- Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
- Mass spectrometry*
- Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
- Is there a hydride transfer between N<sub>2</sub>OH<sup>+</sup> and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99
- Low-work-function surfaces with  $\phi$  as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

## Objects

### Bulk systems

#### Gases

- Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
- Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
- Temperature and population measurements of  $n=2$  hydrogen atoms in H<sub>2</sub> RF discharges from H <sub>$\alpha$</sub>  (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355

#### Liquids neat

- Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135

#### Liquids mixtures and solutions

- Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89
- Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367

#### Crystals

- A Raman analysis of C<sub>60</sub> at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

#### -neat

- Reorientational dynamics of C<sub>60</sub> in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231



*Thin films*

- A Raman analysis of C<sub>60</sub> at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

*Surfaces*

- CPA theory with correlative effects: application to the  $\nu_s(\text{PF}_3)$  stretch of PF<sub>3</sub>/Pt(111), W. Greene-Johnson 192 (1995) 9

*Low-dimensional materials*

- Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89

*Plasmas*

- Vibrational relaxation of N<sub>2</sub>(C,  $\nu$ ) state in N<sub>2</sub> pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149

*Biological systems*

- Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1

**Microscopic systems***Atoms*

- Temperature and population measurements of  $n=2$  hydrogen atoms in H<sub>2</sub> RF discharges from H $_{\alpha}$  (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355

*Molecules (neutral and ionic)*

- Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1  
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19  
Vibrational relaxation of N<sub>2</sub>(C,  $\nu$ ) state in N<sub>2</sub> pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149  
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

*-diatomic*

- High-resolution study of the luminescent electronic energy transfer reaction of Xe(<sup>3</sup>P<sub>0,2</sub>) with <sup>14</sup>N<sub>2</sub> and <sup>15</sup>N<sub>2</sub>, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49  
Dissociative excitation of K and K<sup>+</sup> emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379

*-small polyatomics*

- A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25  
Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65  
Is there a hydride transfer between N<sub>2</sub>OH<sup>+</sup> and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99

- Multiple-scattering- $X\alpha$  studies of the  $L_{2,3}$  near edge photoabsorption spectra of  $H_2S$ ,  $HCl$  and  $Cl_2$ , and on the intensity variation in the  $L_{2,3}$  near edge spectra of  $XH_n$ ,  $X=Si, P, S, Cl$  and  $n=4, 3, 2, 1$ , Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255
- Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
- The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
- An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333
- aromatics*
- Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
- The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
- Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
- other large*
- A Raman analysis of  $C_{60}$  at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307
- Molecular aggregates*
- dimers*
- Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79
- An ab initio study of the chemical bond and the  $^{129}Xe$  NMR chemical shifts in  $M^+-Xe$  compounds,  $M=Li, Na, K, Cu, Ag$ , A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
- clusters*
- Reactivity of silicon clusters, M. Krack and K. Jug 192 (1995) 127
- Free radicals (including hydronium and muonium)*
- Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
- Reorientational dynamics of  $C_{60}$  in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231
- Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
- Ions and charge carriers*
- The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319

- Low-work-function surfaces with  $\phi$  as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

## Phenomena

### *Molecular structure*

- The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
- An ab initio study of the chemical bond and the  $^{129}\text{Xe}$  NMR chemical shifts in  $\text{M}^+-\text{Xe}$  compounds,  $\text{M}=\text{Li}, \text{Na}, \text{K}, \text{Cu}, \text{Ag}$ , A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267

### *Vibrations and rotations of molecules*

- A Raman analysis of  $\text{C}_{60}$  at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

### *Electronic structure and states*

- A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged  $\text{Ni}(\text{II})$  complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25
- Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
- An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333

### *Electric and magnetic properties*

- An ab initio study of the chemical bond and the  $^{129}\text{Xe}$  NMR chemical shifts in  $\text{M}^+-\text{Xe}$  compounds,  $\text{M}=\text{Li}, \text{Na}, \text{K}, \text{Cu}, \text{Ag}$ , A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
- Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

### *Spin splittings*

- A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged  $\text{Ni}(\text{II})$  complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25

### *Molecular interactions*

- Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

### *Energy transfer processes*

- High-resolution study of the luminescent electronic energy transfer reaction of  $\text{Xe}(^3\text{P}_{0,2})$  with  $^{14}\text{N}_2$  and  $^{15}\text{N}_2$ , Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49
- Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89



- Vibrational relaxation of  $N_2(C, v)$  state in  $N_2$  pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
- Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
- Molecular photophysical processes*
- An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
- Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
- Intramolecular dynamics*
- NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
- Luminescence spectra, yields and lifetimes*
- An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
- Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
- Coherence loss processes*
- Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79
- Non-linear responses (including optical)*
- The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239
- Reactions (including dissociation)*
- Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
- gas phase*
- Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
- Is there a hydride transfer between  $N_2OH^+$  and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99
- The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
- Dissociative excitation of K and  $K^+$  emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379
- condensed phase*
- Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1
- photochemical*
- Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
- An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163



*Tunneling*

- Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79

*Electron transfer*

- Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65  
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79  
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367

*Ionization (including Rydberg states)*

- Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135  
An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333  
Low-work-function surfaces with  $\phi$  as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

*Molecular motion (including diffusive)*

- Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1  
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19  
Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189  
Reorientational dynamics of C<sub>60</sub> in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binniger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231  
Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281

*Isotopic effects*

- High-resolution study of the luminescent electronic energy transfer reaction of Xe(<sup>3</sup>P<sub>0,2</sub>) with <sup>14</sup>N<sub>2</sub> and <sup>15</sup>N<sub>2</sub>, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49

*Surface effects and catalysis*

- Low-work-function surfaces with  $\phi$  as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

*Critical phenomena*

- The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239  
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

*Phase transitions*

- Reorientational dynamics of C<sub>60</sub> in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binniger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231

